

# HANBELL

上海汉钟精机股份有限公司

Shanghai Hanbell Precision Machinery Co., Ltd.

上海浦东新区川沙新镇川沙路1000号

上海汉钟精机股份有限公司

Shanghai Hanbell Precision Machinery Co., Ltd.

Shanghai Hanbell Precision Machinery Co., Ltd. Fengling Factory 1001

上海市浦东新区川沙新镇川沙路1000号

电话: 021-50401000

传真: 021-50401000

上海汉钟精机股份有限公司

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海

上海



双喜牌空气压缩机

联系我们

电话: 021-50401000

传真: 021-50401000

网址: www.hanbell.com

地址: 上海浦东新区川沙新镇川沙路1000号

邮编: 201200

邮箱: hanbell@hanbell.com

联系人: 销售部

电话: 021-50401000

传真: 021-50401000

网址: www.hanbell.com

地址: 上海浦东新区川沙新镇川沙路1000号

邮编: 201200

邮箱: hanbell@hanbell.com

联系人: 销售部


电话: 021-50401000

传真: 021-50401000

网址: www.hanbell.com

上海汉钟精机股份有限公司






THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF.

THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF.

THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF.

THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE PROJECT IS A 100,000 SQ. FT. COMMERCIAL BUILDING WITH A 20,000 SQ. FT. GARAGE. THE BUILDING IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF. THE GARAGE IS A SINGLE-STORY STRUCTURE WITH A FLAT ROOF.



足客户提出的相关规格要求；具有多年经验的服务人员，使客户无后顾之忧。

我们提供全面的售后服务，包括现场安装、调试、培训、维护、修理、更换零件等。

我们拥有专业的技术团队，能够快速响应客户的需求，提供及时、专业的服务。



DZ系列双缸压缩机

DZ系列双缸压缩机

产品特点

- 采用全新设计，性能卓越
- 结构紧凑，安装方便
- 运行平稳，噪音低

型号	排量 (L/min)	功率 (kW)	电压 (V)	频率 (Hz)	重量 (kg)	尺寸 (mm)
----	------------	---------	--------	---------	---------	---------

AA1-2000-2	200	7.5	220V	50	150	400*300*250
AA1-2000-3	200	11	380V	50	180	400*300*250
AA1-2000-4	200	15	380V	50	200	400*300*250
AA1-2000-5	200	22	380V	50	250	400*300*250
AA1-2000-6	200	30	380V	50	300	400*300*250
AA1-2000-7	200	37	380V	50	350	400*300*250
AA1-2000-8	200	45	380V	50	400	400*300*250
AA1-2000-9	200	55	380V	50	450	400*300*250
AA1-2000-10	200	65	380V	50	500	400*300*250
AA1-2000-11	200	75	380V	50	550	400*300*250
AA1-2000-12	200	85	380V	50	600	400*300*250
AA1-2000-13	200	95	380V	50	650	400*300*250
AA1-2000-14	200	110	380V	50	700	400*300*250
AA1-2000-15	200	125	380V	50	750	400*300*250
AA1-2000-16	200	140	380V	50	800	400*300*250
AA1-2000-17	200	155	380V	50	850	400*300*250
AA1-2000-18	200	170	380V	50	900	400*300*250
AA1-2000-19	200	185	380V	50	950	400*300*250
AA1-2000-20	200	200	380V	50	1000	400*300*250
AA1-2000-21	200	220	380V	50	1100	400*300*250
AA1-2000-22	200	240	380V	50	1200	400*300*250
AA1-2000-23	200	260	380V	50	1300	400*300*250
AA1-2000-24	200	280	380V	50	1400	400*300*250
AA1-2000-25	200	300	380V	50	1500	400*300*250
AA1-2000-26	200	320	380V	50	1600	400*300*250
AA1-2000-27	200	340	380V	50	1700	400*300*250
AA1-2000-28	200	360	380V	50	1800	400*300*250
AA1-2000-29	200	380	380V	50	1900	400*300*250
AA1-2000-30	200	400	380V	50	2000	400*300*250
AA1-2000-31	200	420	380V	50	2100	400*300*250
AA1-2000-32	200	440	380V	50	2200	400*300*250
AA1-2000-33	200	460	380V	50	2300	400*300*250
AA1-2000-34	200	480	380V	50	2400	400*300*250
AA1-2000-35	200	500	380V	50	2500	400*300*250
AA1-2000-36	200	520	380V	50	2600	400*300*250
AA1-2000-37	200	540	380V	50	2700	400*300*250
AA1-2000-38	200	560	380V	50	2800	400*300*250
AA1-2000-39	200	580	380V	50	2900	400*300*250
AA1-2000-40	200	600	380V	50	3000	400*300*250
AA1-2000-41	200	620	380V	50	3100	400*300*250
AA1-2000-42	200	640	380V	50	3200	400*300*250
AA1-2000-43	200	660	380V	50	3300	400*300*250
AA1-2000-44	200	680	380V	50	3400	400*300*250
AA1-2000-45	200	700	380V	50	3500	400*300*250
AA1-2000-46	200	720	380V	50	3600	400*300*250
AA1-2000-47	200	740	380V	50	3700	400*300*250
AA1-2000-48	200	760	380V	50	3800	400*300*250
AA1-2000-49	200	780	380V	50	3900	400*300*250
AA1-2000-50	200	800	380V	50	4000	400*300*250

1. 本系列压缩机采用全新设计，性能卓越，运行平稳，噪音低，结构紧凑，安装方便。

2. 本系列压缩机广泛应用于工业制冷、空调、冷链物流等领域。

3. 本系列压缩机具有使用寿命长、维护简单、节能环保等优点。

